

Annual Drinking Water Quality Report for 2017
Village of Skaneateles
26 Fennell St., Skaneateles, NY 13152
Public Water Supply ID# NY3304331

Prepared By: Shannon Harty, P.E.
Director of Municipal Operations

We are pleased to present a summary of the quality of the water provided to you during the past year. The purpose of this report is to raise your understanding of drinking water and awareness of the need to protect our drinking water source. This report also details where our water comes from, what it contains, and the risk water testing and treatment are designed to prevent. We remain committed to providing you with the safest and most reliable water supply.

If you have any questions about this report concerning your drinking water, please contact Shannon Harty at the Village of Skaneateles Department of Public Works office, phone #315-685-5977.

We encourage public interest and participation in our community's decisions affecting drinking water. Regular Municipal Board Meetings occur on the fourth Tuesday of each month, at 6:00 p.m. at the Village Office located at 26 Fennell Street, Skaneateles, NY. The public is welcome.

More information is available on the World Wide Web at <http://waterdata.usgs.gov>.

WHERE DOES OUR WATER COME FROM?

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activities. Contaminants that may be present in source water include; microbial contaminants; inorganic contaminants; pesticides and herbicides; organic chemical contaminants; and radioactive contaminants. In order to ensure that tap water is safe to drink, the State and the EPA prescribe regulations which limit the amount of certain contaminants in water provided by public water systems. The State Health Department's and the FDA's regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

FACT AND FIGURES

The Village of Skaneateles water system serves the Town as well as the Village residents, a combined population of approximately 5,500. In 2017 our pumping figures showed a total of 179,393,000 gallons. Evaluation of the water treatment plant master meter determined that the meter was reporting flows approximately 20% less than actual levels. Adjusted plant data to correct for this issue results in a total annual production of 215,271,600 gallons. Our daily average of water pumped into the distribution system was 574,195 gallons. Our highest single day, June 11, 2017, was 1,196,400 gallons. The amount delivered to customers was 188,859,323 gallons. This leaves an unaccounted for total of 26,412,277 gallons, which accounts for 12.3% of the total produced. This water was used to flush hydrant mains, fight fires, unauthorized hydrant use, municipal use, system leakage and water main breaks.

Our billing figures show that 70% of our customers in the Village use 600 Cu. Ft. of water per month at an average cost of \$186.87/yr.

VILLAGE OF SKANEATELES WATER SOURCE

Our community water system receives its water from a surface water source, Skaneateles Lake. It is the fourth largest and third deepest of the Finger Lakes. It has a surface area of 13.6 square miles with a maximum depth of 300 feet. The source of water for the lake is its watershed. The watershed acreage calculated by the Geographic Information System (GIS) is 37,724 acres or 58.94 square miles. The water quality of Skaneateles Lake is ranked as one of the top ten lakes in the Country. The village is fortunate to have this lake as our surface water source.

The Village of Skaneateles takes its water directly from wet wells located in the City of Syracuse Gatehouse, Genesee Street in the Village of Skaneateles. It is then pumped from the Village Pump Station through a 12" dedicated water main to our reservoirs located on East Street and directly into the Village system. From the reservoirs, the water is then gravity fed into the distribution system of both the Village and Town water systems.

All the water pumped by the Village Pump Station is treated with chlorine and fluoride by the City of Syracuse prior to entering our water distribution system.

SWAP SUMMARY FOR SKANEATELES LAKE

The NYS DOH has evaluated the Village of Skaneateles' source water susceptibility to contamination under the Source Water Assessment Program (SWAP), and their findings are summarized here. It is important to stress that these assessments were created using available information and only estimate the potential for source water contamination. Elevated susceptibility ratings do not mean that source water contamination has or will occur for the Village of Skaneateles. The City of Syracuse provides treatment and regular monitoring to ensure the water delivered to Village of Skaneateles meets all applicable standards.

This assessment found a moderate susceptibility to contamination for the Skaneateles Lake source of drinking water. The amount of pasture in the assessment area results in a high potential for protozoa contamination. No permitted discharges are found in the assessment area. There are no likely contamination threats associated with other discrete contaminant sources, even though some facilities were found in low densities.

FILTRATION WAIVER

The Village of Skaneateles along with the City of Syracuse is currently operating under a filtration avoidance extension granted in June of 2004. The waiver has no termination date, and will remain in effect for as long as the City and Village comply with the conditions of the waiver. Since the Village is a filtration avoidance system, it is subject to recent USEPA Long Term 2 Enhanced Surface Water Treatment Rule (LT2) treatment requirements. The Village reviewed LT-2 treatment options and developed plans to meet the requirements of the new rule utilizing Ultraviolet (UV) disinfection technologies. The Village recently completed installation of the UV system and has satisfied all EPA requirements.

SKANEATELES LAKE HARMFUL ALGAE BLOOM

On September 15, 2017 NYSDEC issued a notification that water samples collected at the south end of Skaneateles Lake confirmed the presence of a harmful algae bloom (HAB). The City initiated daily water sampling to monitor for the presence of microcystis (a type of harmful blue-green algae) in open water over both Lake Intakes and in the conduits immediately following the announcement. Water sampling for microcystin toxin (produced by some forms of blue-green algae) was initiated by the City and NYSDOH on September 18, 2017 for raw and treated water. Samples were collected by the City of Syracuse Water Department and transported to the NYSDOH laboratory in Albany. As a result of detectable levels of microcystin in both Lake Intakes and at the City Gatehouse in Skaneateles, the City with guidance from the NYSDOH, established a microcystin sampling protocol. The City's water treatment process was also modified, increasing chlorine levels from 1.2 ppm to 2.0 ppm at both Lake Intakes. A chlorine concentration level of approximately 2.0 ppm was maintained through October 26 at the City Gatehouse following re-chlorination (prior to entering the Village distribution system). The Village provided extended chlorine contact time by adjusting the configuration of the Village Distribution system – closing all interconnection on the 12 inch water main to the storage facilities and operating the tanks in series. The amount of time that water is in contact with chlorine from the Skaneateles Lake Intakes, to the Village's first customer was greater than 4 hours. By boosting chlorine levels and maintaining the extended contact time, the Village demonstrated that the protocol established by the NYSDOH was effective in removing algal toxins.

Sample locations and results are provided in Figures below. The highest raw water sample reported was .77 ug/L (at both Intake #1 & #2 on September 25 and September 30, respectively). The highest treated water sample was .32 ug/L (Gatehouse Well #2 & #3). Toxin sampling was performed through November 13 at both Lake Intakes, Gatehouse Wet Wells and the Villages of Skaneateles and Elbridge UV Facilities. Toxin sampling at several locations throughout the distribution system were sampled from September 19 through October 5. There were no detectable levels of algal toxins within the water distribution system (sites available for water consumption) throughout the sampling time-frame. By boosting chlorine levels at the Lake Intakes and maintaining a consistent chlorine concentration of 2 ppm, the Village demonstrated that the protocol established by the NYSDOH was effective in oxidizing (inactivating) algal toxins.

To address water quality concerns caused by HABs the Village is working with our water system engineer to evaluate effective practices and technologies to monitor and manage HABs. An analysis of the extreme climatic conditions that affected the Finger Lakes Region and a review of historical data suggest that climatic conditions for 2017 were unparalleled. Annual rainfall for the Skaneateles Lake Watershed totaled 57.39", exceeding the previous record of 54.31" set in 1972 (Hurricane Agnes). The intense summer storm events, combined with a remarkably warm, sunny and calm weather in mid-September presented extremely favorable conditions for algal blooms.

ARE THERE CONTAMINANTS IN OUR DRINKING WATER?

As the State regulations require, we routinely test your drinking water for numerous contaminants. In 2017, the Village was required to test for Total Coliform, Trihalomethanes (THM), Haloacetic acids (HAA5), Lead, and Copper. Total Coliform samples are taken to the City of Syracuse Gatehouse where they are transported to a certified lab to be tested for Total Coliform & E. Coli, as directed by the New York State Department of Health. The results of all tests are available at the Village of Skaneateles Water Department Office, phone #315-685-5628.

For the THM and HAA5 testing, the Village took samples from one site in 2017. These samples were collected and sent to the lab for testing. The results are shown in the table below. You may also obtain copies of the results at the Skaneateles Water Department Office.

In addition, the City of Syracuse tests the water entering the Gatehouse for all contaminants listed in the Federal Safe Drinking Water Act. These contaminants include: inorganic compounds, nitrate, nitrite, volatile organic compounds, synthetic organic compounds and radiological compounds. Refer to Detected Contaminants Table below compiled by the Syracuse Water Department. For more information on the Federal Safe Drinking Water Act, consumers are encouraged to call The Safe Drinking Water Hotline telephone number: 800-426-4791.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Safe Drinking Water Hotline (1-800-426-4791) or the Onondaga County Health Department at 315-435-6600.

The tables presented below depict which compounds were detected in your drinking water. The State allows us to test for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though representative, are more than one year old.

To understand the tables below, the following definitions will be helpful.

GLOSSARY OF TERMS

Action Level (AL): The concentration of a contaminant which, when exceeded, triggers treatment or other requirements which a water system must follow.

n/a: Not applicable.

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. MCL's are set as close to the MCLG's as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known health risk. MCLG's allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL): The highest level a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Goal (MRDLG): The level of drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.

Milligrams per liter (mg/l): Corresponds to one part of liquid in one million parts of liquid (parts per million – ppm).

Micrograms per liter (ug/l): Corresponds to one part of liquid in one billion parts of liquid (parts per billion – ppb).

NTU: Nephelometric Turbidity Unit: a measurement of the turbidity, or cloudiness of the water.

Picocuries per liter (pCi/L): A measure of the radioactivity in water.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

nd: Laboratory analysis indicates that the constituent is not present.

WATER QUALITY MONITORING

The Village Water Department, in conjunction with the City of Syracuse, conducts numerous tests of the water in order to monitor its quality and to verify compliance with state and federal requirements. The monitoring program includes the components described below. The Syracuse Water Department provides testing for Skaneateles Lake source water.

Table of Detected Contaminants: Village of Skaneateles testing							
Contaminant	Violation Yes/No	Date of Sample	Upper Bound Level Detected (Avg) (Range)	Unit Measurement	MCLG	Regulatory Limit (MCL, TT or AL)	Likely Source of Contamination
Chlorine Residual	No	2017 Weekly	0.87 (0.55 – 2.14) (Notes 1,2)	mg/l	(MRDLG) N/A	(MRDL) 4	By-product of drinking water chlorination
Lead	No	Sept 2017	3.13 (ND– 3.75) (Notes 2,3)	ug/l	0	AL= 15	Corrosion of household plumbing systems; erosion of natural deposits
Copper	No	Sept 2017	0.975 (0.1 – 1.12) (Notes 2,4)	mg/l	1.3	AL= 1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
Turbidity	No	2017 Weekly	0.29 (0.08 – 7.08) (Note 5)	NTU	N/A	5	Soil run off in lake water

Notes:

1. Test samples taken at Entry Point of the Skaneateles system.
2. Test samples taken in the Distribution System by Village of Skaneateles.
3. During 2017 we collected and analyzed 20 samples for lead. The upper bound level included in the table represents the 90th percentile containment level. The action level for Lead was not exceeded at any of the 20 sites tested.
4. During 2017 we collected and analyzed 20 samples for copper. The upper bound level included in the table represents the 90th percentile containment level. The action level for copper was not exceeded at any of the 20 sites tested.
5. Turbidity is a measure of the cloudiness of the water. We monitor it because it is a good indicator of water quality. High turbidity can hinder the effectiveness of disinfectants. Our highest single turbidity measurement for the year (7.08 NTU) occurred on 1/11/17. State regulations require that turbidity must always be below 5 NTU.

Table of Detected Contaminants: Disinfectant & Disinfection By-products (Village of Skaneateles Testing)							
Contaminant	Violation Yes/No	Dates of Samples	Upper Bound Level Detected (Avg) (Range)	Unit Measurement	MCLG	Regulatory Limit (MCL, TT or AL)	Likely Source of Contamination
Total Trihalo Methanes **	No	8/08/17	33.1	ug/l	N/A	80	By-Products of Drinking water chlorination. TTHM's form when source water contains large amounts of organic matter.
Haloacetic Acids ***	No	8/08/17	26.6	ug/l	N/A	60	By-Products of drinking water chlorination.

** **Total Trihalomethanes** – the combined concentration of the following four contaminants; Bromodichloromethane, Bromoform, Chloroform, and Dibromochloromethane.

*** **Haloacetic acids** – the combined concentration of the following five contaminants; Dibromo-, Dichloro-, Monobromo-Monochloro-, and Trichloro -, acetic acids.

Table of Detected Contaminants: Skaneateles Lake source water (City of Syracuse testing)							
Contaminant	Violation Yes/No	Date of Sample	Upper Level Detected	Unit Measurement	MCLG	Regulatory Limit (MCL, TT or AL)	Likely Source of Contamination
Turbidity	Yes	1/11/17	7.08	NTU	N/A	5	Soil run off in lake water

Notes:

1 – The City of Syracuse measures the turbidity in its raw water every 4 hours. Turbidity has no health effects. However, Turbidity can interfere with disinfection and provide a medium for microbial growth. Turbidity may indicate the presence of disease-causing organisms. These organisms include bacteria, viruses, and parasites, including Giardia Lamblia and Cryptosporidium. Please pay special attention to the additional statement in this document regarding Cryptosporidium.

Table of Detected Contaminants: Skaneateles Lake source water (City of Syracuse testing)

Contaminant	Violation Yes/No	Date of Sample	Level Detected	Unit Measurement	MCLG	Regulatory Limit (MCL, TT or AL)	Likely Source of Contamination
Barium	No	5/10/17	0.024	mg/l	2	2	Erosion of natural deposits
Chloride	No	5/10/17	23	mg/l	N/A	250	Natural deposits; road salts
Chromium	No	5/10/17	1.9	ug/l	100	100	Erosion of natural deposits
Cyanide	No	5/10/17	6.1	ug/l	200	200	Discharge from steel/metal factories; Discharge from plastic and fertilizer factories.
Fluoride	No	Daily	0.74 (0.15-1.46)	mg/l	N/A	2.2	Natural deposits; Water additive that promotes strong teeth; discharge from fertilizer
Nitrate	No	5/10/17	0.43	mg/l	10	10	Runoff from land applied fertilizer and septic tanks; sewage; erosion of natural deposits
Sodium (See note 1)	No	5/10/17	12	mg/l	N/A	n/a	Natural deposits; road salts; water softeners; animal waste
Sulfate	No	5/10/17	14	mg/l	N/A	250	Naturally occurring
Nickel	No	5/10/17	0.82	ug/l	N/A	N/A	Erosion on natural deposits

Notes:

1 – Water containing more than 20 mg/l of sodium should not be used for drinking by people on severely restricted sodium diets. Water containing more than 270 mg/l of sodium should not be used for drinking by people on moderately restricted sodium diets.

WHAT DOES THIS INFORMATION MEAN?

The table shows that our system uncovered some problems this year. On January 11, 2017, turbidity increased in Skaneateles Lake due to high winds stirring up sediments on the lake bottom. The turbidity level remained above the maximum level of 5 NTU for 8 hours and reached a peak of 7.08 NTUs on this date. Notification of this event was made to the public and to the Onondaga County Health Department.

Turbidity has no health effects. However, turbidity can interfere with disinfection and provide a medium for microbial growth. Turbidity may indicate the presence of disease-causing organisms. These organisms include bacteria, viruses, and parasites, which can cause symptoms such as nausea, cramps, diarrhea, and associated headaches. Please pay special attention to the additional statements in this document regarding Cryptosporidium.

IS OUR WATER SYSTEM MEETING OTHER RULES THAT GOVERN OPERATIONS?

During 2017, our system was in compliance with applicable State drinking water operating, monitoring and reporting requirements.

INFORMATION ON CRYPTOSPORIDIUM AND GIARDIA

New York State law requires water suppliers to notify their customers about the risks of Cryptosporidium and Giardia. These pathogens are of concern because they are found in surface water and ground water under the influence of surface water throughout the United States. Filtration and disinfection are the best methods for use against them, but 100% removal or inactivation cannot be guaranteed. Cryptosporidiosis and Giardiasis are intestinal illnesses caused by these microscopic parasites. Symptoms of infection include nausea, diarrhea, and cramps. Most healthy people can overcome the disease within a few weeks.

During 2017, the City of Syracuse Water Dept. took two raw water samples (one from each intake) each month. No Cryptosporidium or Giardia were detected in any of the City of Syracuse's Raw water samples in 2017.

There have been no reports of health effects caused by *Cryptosporidium* or *Giardia* in Village potable water, and no analytical data to suggest that Village water customers are exposed to these microorganisms. However, the Village is subject to recent USEPA LT2 treatment requirements, which are expected to provide additional disinfection and protection from potential exposure to *Cryptosporidium* and *Giardia*. The Village has met the requirements of the new rule by installing a UV system that was placed into service on March 30, 2012.

FOR ADDITIONAL INFORMATION ON CRYPTOSPORIDIOSIS OR GIARDIASIS PLEASE CONTACT THE ONONDAGA COUNTY HEALTH DEPARTMENT AT 435-6600.

DO I NEED TO TAKE SPECIAL PRECAUTIONS?

Although our drinking water met or exceeded state and federal requirements, some people may be more vulnerable to disease causing microorganisms or pathogens in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice from their health care provider about their drinking water. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium*, *Giardia lamblia* and other microbial pathogens are available from the Safe Drinking Water Hotline (800-426-4791).

INFORMATION ON FLUORIDE ADDITION

Our system is one of the many drinking water systems in New York State that provides drinking water with a controlled, low level of fluoride for consumer dental health protection. Fluoride is added to your water by the City of Syracuse Water Department before it is delivered to us. According to the United States Centers for Disease Control, fluoride is very effective in preventing cavities when present in drinking water at a properly controlled level. To ensure that the fluoride supplement in your water provides optimal dental protection, the City of Syracuse Water Department monitors fluoride levels on a daily basis to make sure fluoride is maintained at a target level of 0.7mg/l. During 2017 monitoring showed that fluoride levels in your water were within 0.1 mg/l of the target level 79.2% of the time. None of the monitoring results showed fluoride at levels that approach the 2.2 mg/l MCL for fluoride.

WHY SAVE WATER AND HOW TO AVOID WASTING IT?

Although our system has an adequate amount of water to meet present and future demands, there are a number of reasons why it is important to conserve water:

- Saving water saves energy and some of the costs associated with both of these necessities of life;
 - Saving water reduces the cost of energy required to pump water and the need to construct costly new wells, pumping systems and water towers; and
 - Saving water lessens the strain on the water system during a dry spell or drought, helping to avoid severe water use restrictions so that essential fire fighting needs are met.
- Conservation tips include:
- Automatic dishwashers use 15 gallons for every cycle, regardless of how many dishes are loaded. So get a run for your money and load it to capacity.
 - Check every faucet in your home for leaks. Just a slow drip can waste 15 to 20 gallons a day. Fix it up and you can save almost 6,000 gallons per year.
 - Check your toilets for leaks by putting a few drops of food coloring in the tank, watch for a few minutes to see if the color shows up in the bowl. It is not uncommon to lose up to 100 gallons a day from one of these otherwise invisible toilet leaks. Fix it and you save more than 30,000 gallons a year.

CLOSING

Thank you for allowing us to continue to provide your family with quality drinking water this year. We ask that all our customers help us protect our water sources, which are the heart of our community. Please call our office if you have questions.